



Model KSI 22



up to 450 ccd/m²

Shuttle[®]



Intel CPU Inside



Anti-vandal glass



Basic Information

Screen size 22"
1900 x 1300px, brightness, 450 cd/m² landscape format
Touch Screen 22" single touch
Electrical equipment standard 220V 50Hz
Placement Fixed or Freestanding
PC - System without OS

Low-energy Intel Atom D2550 processor.
Monitor ports (HDMI, DVI-D, VGA), support two displays
Gigabit-LAN, 5x USB 2.0, two RS-232 interfaces, WLAN, 2GB
DDR3, 320GB HDD

Optional Extras

Bluetooth & Wireless antenna, Colour & Design,
On-Site service, Warranty extension,
Metal Keyboard (Stainless steel keyboard with trackball, waterproof),
Stereo sound system, OS (Win 7 32bit)

Installation

Weight (ca.) 80 – 90 kg
Typical power consumption: (120 – 250) W



Holder Certificate
FM 589736



Model KSO V1432



up to 450 ccd/m²


Shuttle[®]



Intel CPU Inside



Anti-vandal glass



Basic Information

Screen size 32" Portrait format	1920 x 1080px, brightness, 1 800 cd/m ²
Touch Screen	32" dual touch
Electrical equipment	standard 220V 50Hz
Placement	Fixed
PC - System without OS	

Low-energy Intel Atom D2550 processor.

Monitor ports (HDMI, DVI-D, VGA), ,Support two displays

Gigabit-LAN, 5x USB 2.0, two RS-232 interfaces, WLAN, 2GB
DDR3, 320GB HDD

Optional Extras

Bluetooth & Wireless antenna, Colour & Design,
On-Site service, Warranty extension,

Metal Keyboard (Stainless steel keyboard with trackball, waterproof),
Stereo sound system, OS (Win 7 32bit)

Installation

Weight (ca.)	100 – 150 kg
Typical power consumption:	(200 – 300) W



Hold Certificate
FM 589736

PN Metal, Ohrid, Macedonia

Tel. +389 (0) 46 257 886, Mob. +389 (0) 71 319 004

email: info@pnmatal.com.mk, pnmatal@yahoo.com

www.pnmatal.com.mk



Model KSO H1442



up to 450 ccd/m²

Shuttle[®]



Intel CPU Inside



Anti-vandal glass



Basic Information

Screen size 42"	1900 x 1300px, brightness, 1 800 cd/m ² landscape format
Touch Screen	42" dual touch
Electrical equipment	standard 220V 50Hz
Placement	Fixed
PC - System without OS	

Low-energy Intel Atom D2550 processor.

Monitor ports (HDMI, DVI-D, VGA), support two displays

Gigabit-LAN, 5x USB 2.0, two RS-232 interfaces, WLAN, 2GB

DDR3, 320GB HDD

Optional Extras

Bluetooth & Wireless antenna, Colour & Design,

On-Site service, Warranty extension,

Metal Keyboard (Stainless steel keyboard with trackball, waterproof),

Stereo sound system, OS (Win 7 32bit)

Installation

Weight (ca.)	150 – 200 kg
Typical power consumption:	(200 – 300) W



Hold Certificate
FM 589736

PN Metal, Ohrid, Macedonia

Tel. +389 (0) 46 257 886, Mob. +389 (0) 71 319 004

email: info@pnmatal.com.mk, pnmatal@yahoo.com

www.pnmatal.com.mk



Model KSO V1442



up to 450 ccd/m²

Shuttle[®]



Intel CPU Inside



Anti-vandal glass



Basic Information

Screen size 42"	1900 x 1300px, brightness, 1 800 cd/m ² portrait format
Touch Screen	42" dual touch
Electrical equipment	standard 220V 50Hz
Placement	Fixed
PC - System without OS	

Low-energy Intel Atom D2550 processor.

Monitor ports (HDMI, DVI-D, VGA), support two displays

Gigabit-LAN, 5x USB 2.0, two RS-232 interfaces, WLAN, 2GB DDR3, 320GB HDD

Optional Extras

Bluetooth & Wireless antenna, Colour & Design,

On-Site service, Warranty extension,

Metal Keyboard (Stainless steel keyboard with trackball, waterproof),

Stereo sound system, OS (Win 7 32bit)

Installation

Weight (ca.)	150 – 200 kg
Typical power consumption:	(200 – 300) W



Holder Certificate
FM 589736

PN Metal, Ohrid, Macedonia

Tel. +389 (0) 46 257 886, Mob. +389 (0) 71 319 004

email: info@pnmatal.com.mk, pnmatal@yahoo.com

www.pnmatal.com.mk